





# If your project requires a contemporary look or if you need to recreate period character the solution is AEON

- 70mm, 75mm or 100mm
- A++ energy ratings
- Double or triple glazed
- up to 23 colours\*

## A RATING FOR ENERGY EFFICIENCY

Choosing Aeon helps your home to become more efficient and save money on your heating bills.

### **ENHANCED SECURITY**

AEON windows are PAS24\* security accredited which gives you an added level of security to your home and family.

## WEATHER PERFORMANCE

Independently tested AEON RIO windows and doors achieve the highest ratings (PAS 24) for wind, water and air; protecting your home from the elements.


\*PAS 24 rated products are available upon specification.

## VIRTUALLY MAINTENANCE FREE

Timber windows require annual maintenance to ensure they are kept looking good – AEON flush windows need only a simple wipe so you can spend more time doing what you love.

#### **ACOUSTIC PERFORMANCE**

Double glazing is well known for its ability to reduce outdoor noise levels and new windows manufactured from RAYA profile can help bring down the noise levels in your home by as much as half.







Traditional timber aesthetics in a modern uPVC window




## **CONTEMPORARY STYLE**

Styling and features that are usually only found on aluminium products



## **EQUAL SIGHTLINES**

A flush sash exterior enables all glass sight-lines to be perfectly equal



# FEATURES & OPTIONS

Finish a flush project perfectly with a flourish

## WHAT IS THE DIFFERENCE BETWEEN THE AEON PRODUCTS?

We all know what a flush window looks like on the outside, but the difference resides on the interior. Typically, it is the frame which dictates each products' unique internal characteristics. Here's a short overview of each one:







## **AEON R9**

Style: Heritage

Frame: R9 Decorative

Size: 100mm

Bead: Decorative or square

## **AEON R<sup>2</sup>**

Style: Contemporary

Frame: R<sup>2</sup> Square/stepped

Size: 100mm Bead: Square

## **AEON R7**

Style: Modern or heritage

Frame: R7 Square

Size: 75mm

Bead: Decorative or square

## **AEON RIO**

Style: Modern or heritage

Frame: Rehau Total70 sculptured or chamfered

Size: 70mm

Bead: Rehau sculptured or

chamfered

# CHOICES, CHOICES...

AVAILABILITY KEY











PREMIUM HARDWARE ® 🖪 🗗 🚳

Premium hardware to finish the project perfectly comes in 9 colours



**COLOUR CHOICE** 

Up to 13 colours available all with a close RAL code to match other features



THERMAL EFFICIENCY

6, 7, or 9 chambered profiles keeps thermal transference to an absolute minimum.

R9 R<sup>2</sup> R7 RIO



**WEATHER BAR** 

Replicate a feature of older windows. A raised horizontal moulding to shed dripping water and to increase the strength of the mullion.



**BUTT HINGES** 

R9 R2 R7

Butt Hinges can assist in retaining the original timber window aesthetic or be used to create a brand new look. Choose from working butt hinges or dummy butt hinges.

R9 R2 R7 RIO



**HANDLES & STAYS** 

Monkey tail or peardrop handles, available in nine colours, for period replacement



**DECORATIVE INSIDE** 

Externally flush with a decoratively styled internal sash and frame



**FLUSH BOTH SIDES** 

For an authentic flush look externally & internally



R9 R<sup>2</sup> R7 RIO

TRIPLE-GLAZING

Specifically designed to accommodate the additional weight of triple glazed units.



**MULTIPLE JOINTING CHOICE** 

For the complete look; butt-welded, mitred or mechanical joint fabrication:



**LOCK & HINGE RETENTION** 

Superior screw retention reinforcements mean locks and hinges are secured firmly. R9 R<sup>2</sup> R7



# R9 HERITAGE FLUSH

# 100mm period uPVC flush casement

Designed to authentically replicate 19th Century timber designs, featuring an elegant flush exterior and decorative interior.

Ideally suited to replacement of windows and doors in period properties, including those in many conservation areas.

- 100mm frame depth
- 9 thermally-efficient chambers
- Always internally decorative
- 28mm double-glazed and 44mm triple glazing options
- WER A++
- U-Values as low as 0.8W/m2K
- Ultra-thick CEN A wall thickness provides additional screw retention
- PAS24 and Part Q building regulations approved
- Choice of 11 colours
- BS EN 6375 1 weather tested: Exposure Category of 1600;
   Class 3 Air Permeability Rating (600pa); a Class 9A (600pa)
   Water Tightness Rating; Class C4 (1600pa), wind resistance





## THE R9 PROFILE

## leading-edge technologies and weather sealing

The profile uses a honeycomb of nine energy-efficient chambers within a 100mm deep profile. When installed with energy efficient double- or triple-glazing units, it delivers an industry-leading U-value of  $0.8W/m^2K$ .



R9 FRAME

Typical options to achieve authentic period aesthetic.











R9 MULLION/ TRANSOM

**FLUSH SASH** 

**SILL: 165MM RADLINGTON** 

**SILL: 55MM RADLINGTON** 

SILL: 180MM







**BEAD: 44MM DECORATIVE** 



**BEAD**: 28MM STAFF



SILL: 95MM STUB



20MM ADD ON

## **R9 COLOURS**

Find detailed colour options for R9 on page 18-21.

GRAINED	CLOTTED		COTSWOLD	COTSWOLD		ENGLISH	SILVERED	CORSE	ECLECTIC	NO.10
WHITE	CREAM	PAINSWICK	GREEN	BISCUIT	IRISH OAK	OAK	OAK	LAWN	GREY	BLACK



# R<sup>2</sup> SQUARED FLUSH

## 100mm contemporary uPVC flush casement

Achieve the look of aluminium with contemporary flush uPVC windows and modern hardware.

## **Equal sight-lines:**

R<sup>2</sup> is built to market leading design standards. Clean lines and advanced functionality.

A unique stepped-square interior gives R<sup>2</sup> its bold and modern appearance. All glass sight-lines are perfectly equal, complementing the internal stylish square detail.

## Lock & hinge retention:

R<sup>2</sup> has superior screw retention reinforcements, so locks and hinges are secured firmly into position.

Designed to accommodate the additional weight of triple glazed units, allowing heavy duty hinges to fit and operate perfectly.

- 100mm depth Profile
- Contemporary Look
- Internally Glazed
- Dummy sashes to fixed pane
- Choice of 10 standard colours
- Available welded or full mechanical joints (note full mechanical requires all glass to be factory bonded to the frame)
- WER A++
- U-Values as low as 0.8W/m²K
- Ultra-thick CEN A wall thickness provides additional screw retention
- PAS24 and Part Q building regulations approved
- BS EN 6375 1 weather tested: Exposure Category of 1600; Class 3 Air Permeability Rating (600pa); a Class 9A (600pa) Water Tightness Rating; Class C4 (1600pa), wind resistance




## THE R<sup>2</sup> PROFILE

## **STYLES**

R<sup>2</sup> can be made into many styles, shaped windows, fixed windows, french windows, bay and bow windows, single and french doors.




Typical options to achieve a modern, contemporary aesthetic.



## R<sup>2</sup> COLOURS

Find detailed colour options for R<sup>2</sup> on page 18-21.

CHALK WHITE	GRAINED WHITE	VINTAGE CREAM	CLOTTED CREAM	PAINSWICK	NO38 GREY	IRISH OAK	ENGLISH OAK	SILVERED OAK	ECLECTIC GREY



# R7 IN-AND-OUT FLUSH

## 75mm contemporary uPVC flush casement

Flush on both exterior and interior gives the AEON R7 its chic modern appearance and versatility to be used for both contemporary new builds and traditional British homes alike. All glass sight-lines are perfectly equal.

### Five bead choice

Choose from **five glazing beads** for a fully personalised choice, continue the contemporary appearance with the **square** or a **decorative bead** to soften the aesthetic.

## **Performance solution**

R7 outperforms many other systems with a sophisticated seven-chamber design and intelligent features.

It's the ideal solution for a wide range of properties, from modern new builds to city apartments and country cottages to semi-detached houses, and everything in between, the AEON R7 is intended to be the window of your choice.


- 75mm depth Profile
- 7 thermally-efficient chambers
- Contemporary Look
- Dummy sashes to fixed pane
- Available welded or full mechanical joints (Note: full mechanical requires all glass to be factory bonded to the frame)
- 28mm double-glazed and 44mm triple glazing options
- WER A++
- U-Values as low as 0.8W/m2K
- Ultra-thick CEN A wall thickness provides additional screw retention
- PAS24 and Part Q building regulations approved
- Choice of 13 standard colours
- BS EN 6375 1 weather tested: Exposure Category of 1600; Class 3 Air Permeability Rating (600pa); a Class 9A (600pa) Water Tightness Rating; Class C4 (1600pa), wind resistance

## THE R7 PROFILE

Typical options for a sleek, modern look.

















## **R7 COLOURS**

Find detailed colour options for R7 on page 18-21.





# RIO CLASSIC FLUSH

## Rehau Rio 70mm flush uPVC casement

Rio flush fit windows benefit from enhanced noise reduction, energy efficiency and are easy to maintain.

Not only does the Rio flush fit window authentically replicate the features of a traditional timber window, it also compliments modern homes perfectly with clean lines and minimalist appearance.

- 70mm depth profile
- Edge outer frame
- Bevel outer frame
- Dummy sashes to fixed pane
- Available welded or full mechanical joints (note full mechanical does not require glass bonding due to the strength of the internal corner blocks)
- Choice of 11 standard colours
- WER A++
- U-Values as low as 0.8W/m2K
- PAS24 and Part Q building regulations approved









## THE RIO PROFILE

OUTSIDE VIEW







## **CHOICE OF WELD**

Full mechanical joint





Fully welded joint





## **RIO COLOURS**

Find detailed colour options for Rio flush on page 21.



## **TECHNICAL AREA:**

## **RIO FLUSH WINDOW**


## **CROSS SECTION & TECHNICAL DRAWING**



## **AEON RIO FLUSH WINDOW**

- 1 Same Eurogroove position as Total70
- 28mm glazing as standard with option for 34mm triple glazing
- Ideal replacement for British timber casement windows due to its 70mm depth
- 4 Two jointing options: Mechanical joint or fully welded
- 5 Exceeds weather performance standards as well as PAS24 accreditation.

SPECIFICATION				
Feature	Specification			
Profile depth	137 mm			
Maximum window size	1200 x 1200mm (top hung)			
	900 x 1300mm (side hung)			
Thermal performance	1.3 W/m2K			
May sash weight	35kg (fully welded)			
Max. sash weight	30kg (Mechanically jointed)			
Glass width	28mm (double glazed)			
	34mm (triple glazed)			
Jointing	Mechanical or fully welded			






# RIO FLUSH DOORS


Single and French doors complete 19th century authenticity

The new Rio flush fit French door uses Rehau's Deep Bottom Rail and consequently, no new door sash is required.

- Extension to the existing Rio flush fit range with introduction of the Rio door
- Single open-out residential door complements the established Rio window system
- Option to specify either chamfered or edge outerframes.
- Dedicated butt hinges designed for the flush door system
- Fully welded outward opening door solution completes the Rio range
- Total 70 Profiles used along with Rio Deep Bottom Rail profile
- Dedicated Rio adjustable dynamic door hinge
- Bespoke Rio French Door spacer to achieve a customised finish
- Fully weather-tested and PAS24 security standard approved
- The Rio French door has been certified to the PAS 24 security standard, tested at its maximum size – 1900mm x 2250mm
- · Only availble as welded sash.









## **COLOUR**



## CHALK WHITE RAL 9016

#### (UNFOILED/MATT FINISH)

- R2 Solid colour only
- R7 Solid colour

#### Dual colour:

(With Chalk White internal) Clotted Cream, Cotswold Green, Painswick, English Oak, Irish Oak, Golden Oak, Rosewood, Eclectic Grey, No.10 Black, Corse



P Internal & external

#### **Dual colour:**

All colours available externally to Grained White

- R2 Internal & external only
- P7 Internal & external only





R9 Internal & external

## Dual colour:

Grained White internal
Painswick external with
Clotted Cream internal

- R2 Internal & external only
- Province Internal & external

  Dual colour:

  Chalk White internal



R9 Internal & external

**Dual colour:** Grained White internal

- R<sup>2</sup> Internal & external only
- Internal & external

  Dual colour: Chalk White internal



R9 Internal & external

Dual colour:

Grained White internal,

No.10 Black external with English Oak internal

Eclectic Grey external with English Oak internal

- R2 Internal & external only
- Internal & external

  Dual colour: Chalk White internal



R9 Internal & external

Dual colour:

Grained White internal Clotted Cream internal

- R<sup>2</sup> Internal & external only
- PT Dual colour:
  Chalk White internal



R7 Internal & external

Dual colour: Grained White internal



R7 Internal & external

Dual colour: Chalk White internal



- Py Internal & external

  Dual colour:

  Grained White internal
- R2 Internal & external only




- Po Dual colour only:

  Grained White internal
- PT Dual colour only: Chalk White internal

Please note: RAL reference numbers represent the nearest colours and are not exact matches, you should contact your paint supplier to view accurate colour samples.





## **COLOUR**



(UNFOILED/MATT FINISH)

- P7 Internal & external only
- R2 Internal & external only



(UNFOILED/MATT FINISH)

- R2 Internal & external only
- P7 Internal & external only



10 Internal & external Dual colour: No.10 Black external with Cotswold Biscuit internal Grained White internal



R9 Internal & external Dual colour: Grained White internal

P7 Dual colour only: Chalk White internal

### **RIO COLOURS**

The Rio window can have the same internal colour to match, or keep the inside white.


























Please note: Due to variables in the printing process and disparity in screen colour displays, these colours are intended to be used as a guide only.

## **TECHNICAL AREA:**

# PREMIUM HARDWARE



## **AVAILABLE COLOURS**









COLOUR:











COLOUR: **GRAPHITE** 



COLOUR: **PEWTER PATINA** 


































## **TECHNICAL AREA:**

## **HARDWARE**




**COLOUR KEY:** 









## VIEW OUR OTHER PRODUCTS











Scan for all brochures



# AEON WINDOWS ARE FABRICATED BY ICENI FROM THE RESIDENCE COLLECTION & REHAU







Scan to check if this brochure is the most recent VERSION: 1.0



MASTER MANUFACTURERS

www.iceniwindows.co.uk